

Application No. Applicant(s) 10/770,854 FORSYTH, KEITH W. Notice of Allowability Art Unit Examiner 2886 Michael P. Stafira -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to amendment filed 1/31/2007. 2. The allowed claim(s) is/are 1-56. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: . . Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date _ 3. Information Disclosure Statements (PTO/SB/08), 7. Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. ☐ Other .

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-56 are allowed over the prior art of record.

2. The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the prior art fails to disclose or make obvious a method for detecting ice on a surface having the steps of calculating a midpoint wavelength of a transition in the reflectance spectrum, comparing the midpoint wavelength to a decision threshold wavelength, and indicating the presence of ice on the surface if the midpoint wavelength is greater than the decision threshold wavelength, and in combination with the other recited limitations of claim 1. Claims 2-16 are allowed by the virtue of dependency on the allowed claim 1.

Regarding claim 17, the prior art fails to disclose or make obvious a method for detecting liquid water on a surface having the steps of calculating a midpoint wavelength of a transition in the reflectance spectrum, comparing the midpoint wavelength to a decision threshold wavelength, and indicating the presence of ice on the surface if the midpoint wavelength is greater than the decision threshold wavelength, and in combination with the other recited limitations of claim 17. Claims 18-47 are allowed by the virtue of dependency on the allowed claim 17.

Regarding claim 48, the prior art fails to disclose or make obvious an apparatus for detecting the presence of ice or liquid water on a surface having a detector for detecting at least three reflectance levels at three wavelengths, a signal processor having a decision function for calculating a midpoint wavelength of a reflectance spectrum based upon the at least three reflectance levels and determining the presence of ice or water using the midpoint wavelength,

Application/Control Number: 10/770,854 Page 3

Art Unit: 2886

and in combination with the other recited limitations of claim 48. Claims 49-56 are allowed by the virtue of dependency on the allowed claim 48.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Stafira whose telephone number is 571-272-2430. The examiner can normally be reached on 4/10 Schedule Mon.-Thurs..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tarifur Chowdhury can be reached on 571-272-2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael P Stating

Application/Control Number: 10/770,854

Art Unit: 2886

Primary Examiner Art Unit 2886

April 26, 2007

Page 4